



Rider techniczny - światło

2022

- Konstrukcja musi być **stabilna, wypoziomowana i wykonana zgodnie z obowiązującymi przepisami BHP**. Całość powinna posiadać **aktualne atesty**.
- Na czas koncertu zespołu **tył i boki sceny muszą być szczelnie wysłonięte czarnym nieprzezroczystym materiałem**. W oknie sceny nie mogą znajdować się **żadne banery, ani inne elementy scenograficzne** zasłaniające oświetlenie lub scenografie zespołu.
- **Stanowisko realizatora** musi znajdować się **na podwyższeniu minimum 0,6m**. Podest musi być **stabilny i zabezpieczony od warunków atmosferycznych**. Firma oświetleniowa zobowiązana jest dostarczyć na podest **sprawny fotel, z podparciem po bokach**. Stanowisko realizatora musi być **zabezpieczone przed dostępem osób trzecich** w trakcie koncertu.
- Poniższa lista sprzętu jest aktualna dla sceny **nie większej niż 14m x 10m oraz nie mniejszej niż 10x8** w przypadku większych scen lub realizacji kameralnej zapotrzebowanie sprzętowe może ulec zmianie i wymagana jest **akceptacja realizatora światła**.
- Urządzenia muszą być zainstalowane **zgodnie z projektami** załączonymi do ridera.
- Wszystkie ewentualne zmiany muszą być **uzgadniane z realizatorem oświetlenia**.
- Szef ekipy zobowiązany jest do **kontaktu nie później niż 14 dni przed koncertem**.
- Istnieje możliwość zastosowania zamienników indywidualnie ustalana z realizatorem.
- Podczas prób oraz koncertu niezbędna jest **obecność dwóch doświadczonych**, dobrze znających system oświetlenia na danej scenie techników z firmy oświetlającej dany koncert, **wyposażonych w łączność bezprzewodową z realizatorem**. Radio dla realizatora zapewnia firma oświetleniowa.
- Sprzęt musi być gotowy do pracy na **godzinę przed przyjazdem realizatora**.
- Zespół przywozi ze sobą horyzont oraz „rosiczkę” element scenografii. Niezbędne jest zapewnienie możliwości podwieszenia obu elementów oraz 2 osoby, które powyższe elementy powieszą oraz zdemonstrowują.
- Wszystkie kraty muszą być w kolorze czarnym lub wysłonięte czarnym materiałem.

- Konsola:






GrandMa2 light/full


GrandMa2 ultralight nie będzie honorowana

Realizator światła:

mail: gwidon@zleitanio.pl

SYMBOL KEY:






-  P-5
Mode 9 (21)
-  Robin Pointe
Mode 1 (16)
-  Robin 800 LEDWash
Mode 1 (8)
-  Molefay 4 Cell
Blinder (4)
-  ATMe (2)




Scale: 1:2

Project		<p>This drawing and it's inherited concepts are the sole property of Żle i Tanio. Therefore, neither it, nor any portion thereof, may be disclosed or reproduced in any manner without the expresses consent of said owner. Possession of this drawing does not constitute ownership. This illustration represents visual concept only. It does not imply structural suitability or fitness. It's creator takes no responsibility for it's safe execution.</p>	
Project location	Plener	Project date	2022
Client		Drawing version	1.0
Drawing author	Borsuk/Uncle_Gwid	File name	2022.c2p
		Document name	TOP VIEW

SYMBOL KEY:






- P-5
Mode 9 (21)
- Robin Pointe
Mode 1 (16)
- Robin 800 LEDWash
Mode 1 (8)
- Molefay 4 Cell
Blinder (4)
- ATMe (2)




Scale: 1:2

Project		<p>This drawing and it's inherited concepts are the sole property of Żle i Tanio. Therefore, neither it, nor any portion thereof, may be disclosed or reproduced in any manner without the expresses consent of said owner. Possession of this drawing does not constitute ownership. This illustration represents visual concept only. It does not imply structural suitability or fitness. It's creator takes no responsibility for it's safe execution.</p>	
Project location	Project date		
Plener	2022		
Client			
Drawing author	Drawing version	File name	Document name
Borsuk/Uncle_Gwid	1.0	2022.c2p	TOP VIEW


SYMBOL KEY:

-  P-5
Mode 9 (21)
-  Robin Pointe
Mode 1 (16)
-  Robin 800 LEDWash
Mode 1 (8)
-  Molefay 4 Cell
Blinder (4)
-  ATMe (2)







Scale: 1:2

Project location		Project date		<p>This drawing and it's inherited concepts are the sole property of Żle i Tanio. Therefore, neither it, nor any portion thereof, may be disclosed or reproduced in any manner without the expresses consent of said owner. Possession of this drawing does not constitute ownership. This illustration represents visual concept only. It does not imply structural suitability or fitness. It's creator takes no responsibility for it's safe execution.</p>	
Plener		2022			
Client					
Drawing author		Drawing version		File name	Document name
Borsuk/Uncle_Gwid		1.0		2022.c2p	TOP VIEW



SYMBOL KEY:

-  P-5
Mode 9 (21)
-  Robin Pointe
Mode 1 (16)
-  Robin 800 LEDWash
Mode 1 (8)
-  Molefay 4 Cell
Blinder (4)
-  ATMe (2)

Project		<p>This drawing and it's inherited concepts are the sole property of Żle i Tanio. Therefore, neither it, nor any portion thereof, may be disclosed or reproduced in any manner without the expresses consent of said owner. Possession of this drawing does not constitute ownership. This illustration represents visual concept only. It does not imply structural suitability or fitness. It's creator takes no responsibility for it's safe execution.</p>	
Project location	Project date		
Plener	2022		
Client			
Drawing author	Drawing version	File name	Document name
Borsuk/Uncle_Gwid	1.0	2022.c2p	TOP VIEW

- Equipment report

2022 Plener

Fixtures

#	Name	Optics	Weight	Rating
4	James Thomas Engineering Molefay 4 Cell Blinder	35°	7kg	2,6KW
2	MDG ATMe		16,8kg	715W
8	Robe Robin 800 LEDWash	15° - 63°	11kg	430W
16	Robe Robin Pointe	Spot application lens	15kg	470W
21	SGM P-5	Medium Lens	8,9kg	418W
			576kg 500g	31kW 568W

Truss

#	Name	Weight
1	Generic Generic Bar section, 10m	2kg
8	Generic Generic Rectangular section, 1m	11kg
2	Generic Generic Rectangular section, 8m	11kg
1	Generic Generic Rectangular section, 10m	11kg
		123kg

Other

#	Type	Name	Weight	Rating
1	FOH Equipment	Armchair	0kg	0W
1	Console	MA2 Light/Fullsize	0kg	500W
60	Stage deck	Rectangular 2m x 1m, 1m	30kg	
3	Stage deck	Rectangular 2m x 1m, 300mm	30kg	
2	Stage deck	Rectangular 2m x 1m, 500mm	30kg	
2	Stage deck	Rectangular 2m x 1m, 700mm	30kg	
			2010kg	500W